


**Night vision system**  
from January 2011

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.





### Night vision system control module

- J533 Data bus on board diagnostic interface
- J853 Night vision system control module
- ST1 Fuse panel 1
- SB10 Fuse 10 (on fuse panel B)
- T12b 12-pin connector
- T32b 32-pin connector
- T46a 46-pin connector
- TV41 Extended CAN bus high wire junction
- TV42 Extended CAN bus low wire junction

- 44 Ground connection on A-pillar, lower left
- 367 Ground connection 2 (in main wiring harness)
- 368 Ground connection 3 (in main wiring harness)
- B108 CAN bus extended high connection 1 (in main wiring harness)
- B109 CAN bus extended low connection 1 (in main wiring harness)
- B279 Positive connection 3 (15a) (in main wiring harness)

- \* Refer to applicable wiring diagram for fuse positions
- \*2 Data bus wire (CAN bus)

Night vision system control module, Night vision system camera

- J285 Instrument cluster control module
- J853 Night vision system control module
- R212 Night vision system camera
- T5e 5-pin connector
- T6c 6-pin connector
- T12b 12-pin connector
- T17f 17-pin connector, in the left A-pillar connector station
- T32 32-pin connector
- \* Data wire
- \*2 Shielding on connector housing

